

REFERENCES

10- REFERENCES:

1. **Abd-El-Rhman AM (2009)** Antagonism of *Aeromonas hydrophila* by propolis and its effect on the performance of Nile tilapia, *Oreochromis niloticus*. **Fish Shellfish Immunol** 27: 454–459.
2. **Altwegg, M., Altwegg-Gissig, R., Demarta, A., Peduzzi, R., Reeves, M.W. and Swaminathan, B. (1988)** Comparison of four typing methods for *Aeromonas* species. **Journal of Diarrhoeal Diseases Research** 6, 88–94.
3. **APHA. (1998):** Standard Methods for Examination of water and wastewater 20thEd. **Washington, DC.**
4. **Austin DA, McIntosh D, Austin B. (1989):** Taxonomy of fish associated *Aeromonas salmonicida* subsp. *smithia*, subsp nov. **Syst App Microbiol** 11: 277-290.
5. **Austin, B. & Austin, D. A. (1999)** Bacterial Fish Pathogens: Diseases of Farmed and Wild Fish, 3rd edn. **Chichester: Springer – Praxis.**
6. **Austin, B. & Austin, D. A. (2007)** Bacterial Fish Pathogens: Diseases of Farmed & Wild Fish, 4th edn. **Chichester: Springer – Praxis.**
7. **Azad IS, Rajendran KV, Rajan JJS, Vijayan KK, Santiago TC (2001)** Virulence and histopathology of *Aeromonas hydrophila* (Sah 93) in experimentally infected tilapia, *Oreochromis mossambicus* (L.). **J Aquac Trop** 16:265–275.
8. **Banu, G. R., 1996:** Studies on the bacteria *Aeromonas* spp.in farmed fish and water in Mymensingh region. **M.Sc. thesis, faculty of**

Referances

- fisheries, Bangladesh Agricultural University, Mymensingh, Bangladesh. 95pp.
9. Barnes, A.C., Hastings T.S. and Amyes, S.G. (1994) Amoxycillin resistance in Scottish isolates of *Aeromonas salmonicida*. **Journal of Fish Diseases** 17, 357-363.
 10. Beaz-Hidalgo, R. Alperi, A.; Buján, N.; Romalde, J.L. & Figueras, M.J. (2010). Comparison of phenotypical and genetic identification of *Aeromonas* strains isolated from diseased fish. **Systematic and Applied Microbiology** 33, pp. 149-153.
 11. Bernoth, E.M.; Ellis, A.; Midtlyng, P.; Olivier, G. & Smith, P. (1997). Furunculosis Multidisciplinary Fish Disease Research (1st edition), **Academic Press, ISBN 0-12-093040-4**.
 12. Bootsma, R., and J. Blommaert (1978). Zur Aetiologie der Erythrodermatitis beim Karpfen *Cyprinus carpio* L. Pages 20-27 in **Neuere Erkenntnisse tiber Fischinfektionen. Gustav Fischer Verlag, Stuttgart and New York**.
 13. Bootsma, R., N. Fijan, and J. Blommaert (1977). Isolation and preliminary identification of the causative agent of carp erythrodermatitis. **Vet. Arh.** 47(6):291-302.
 14. Boyd, E. F., Hiney, M. P., Peden, J. F., Smith, P. R. & Caugant, D. A. (1994). Assessment of genetic diversity among *Aeromonas salmonicida* isolates by multilocus enzyme electrophoresis. **J Fish Dis** 17, 97-98.
 15. Burke, V., Robinson, J., Gracey, M., Petersen, D. and Partridge, L. (1984) Isolation of *Aeromonas hydrophila* from a metropolitan water supply : seasonal correlation with clinical isolates. **Applied and Environmental Microbiology** 48, 361–366.

Referances

16. Byers, H.K.; Cipriano, R.C.; Gudkovs, N. & Crane, M.S. (2002). PCR-based assays for the fish pathogen *Aeromonas salmonicida* II. Further evaluation and validation of three PCR primer sets with infected fish. *Diseases of Aquatic Organisms* 49, pp. 139-144.
17. Byers, H.K.; Gudkovs, N. & Crane, M.S. (2002). PCR-based assays for the fish pathogen *Aeromonas salmonicida* I. Evaluation of three PCR primer sets for detection and identification. **Diseases of Aquatic Organisms** 49, pp. 129-138.
18. Carter, G. R. 1978. Diagnostic procedure in veterinary bacteriology and Mycology. 3ed. Thomas publisher, USA.
19. Chen L., Yang J., Zheng M., Kong X., Huang T., Cai Y.D. (2015). The use of chemical-chemical interaction and chemical structure to identify new candidate chemicals related to lung cancer. **PLoS ONE**, 10(6), e0128696
20. Chowdhury, M. B. R. 1998. Involvement of Aeromonads and Pseudomonads in diseases of farmed fish in Bangladesh. **Fish Pathol.**, 33: 247-254.
21. Cipriano R. C. and Bullock G. L. (2001). *Furunculosis and other diseases caused by Aeromonas salmonicida*. U. S. Geological Survey *Fish Disease Leaflet*. Leetown. 66, 33p.
22. Cipriano, R., 2001. *Aeromonas hydrophila* and motile aeromonad septicemias of fish. **US Department of the Interior, Fish and Wildlife Service, Washington, DC. Google Scholar**.
23. Čížek, A., Dolejská, M., Sochorová, R., Strachotová, K., Piačková, V., Veselý, T., 2010. Antimicrobial resistance and its genetic determinants in aeromonas isolated in ornamental (koi) carp

Referances

- (*Cyprinus carpio koi*) and common carp (*Cyprinus carpio*). **Veterinary microbiology** **142**, 435-439.
- 24.Cowan & Steel (1974). Manual for the identification of medical bacteria Second edition revised by T.S. Cowan, **Cambrideg Univ ersity PRES**.
- 25.Csaba, Gy., Kormendy, B. and Bekesi, L. (1981) Observations on the causative agent of carp erythrodermatitis in Hungary. Proceedings of an International Seminar on Fish, Pathogensand Environment in European Polyculture, Szarvas, **Hungary**, pp. 95-110.
- 26.Davis, W. A., Kane, J. G. and Garagusi, V. G.(1978) . Human aeromonas infection: A review of literature and a case report of endocarditis. **Medicine** **57**, 267- 277.
- 27.Dermata, A., Tonolla, M., Caminada, A.-P., Ruggeri, N. and Peduzzi, T. (1999): Signature region within the 16S rDNA sequences of *Aeromonas popoffii*. **FEMS Microbiology Letters** **172**, 239–246.
- 28.Elliott, D.G. and Shotts, E.B. (1980) Aetiology of an ulcerative disease in goldfish *Carassius auratus* (L.): Microbiological examination of diseased fish from seven locations. **Journal of Fish Diseases** **3**, 133-143.
- 29.Esteve C, Biosca EG, Amaro C (1993). Virulence of *Aeromonas hydrophila* and some other bacteria isolated from European eels *Anguilla anguilla* reared in fresh water. **Dis. Aquat. Org.**, **16**: 15-20.
- 30.Faisal, M., Popp, W., Refai, M., 1989. *Aeromonas hydrophila*-related septicemia in the Nile tilapia *Oreochromis niloticus*. **Berl. Munch. Tierarztl. Wochenschr.** **102**, 87–93.
- 31.Fang, H.M., Ge, R., Sin, Y.M., 2004. Cloning, characterisation and expression of *Aeromonas hydrophila* major adhesin. **Fish Shellfish Immunol.****16**, 645–658.

Referances

- 32.FAO 2012. The State of World Fisheries and Aquaculture. **Fisheries and Aquaculture Department FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS Rome, 2012.**
(www.fao.org/docrep/019/i2727e/i2727e00.htm)
- 33.Fijan, N. N. (1972). Infectious dropsy of carp, a disease complex. Pages 39-51 in L. E. Mawdesley-Thomas, ed. Symposia of the Zoological Society of London. **Academic Press, New York.**
- 34.Garrity, G.M., Bell, J.A., Lilburn, T.G. (2004) Taxonomic Outline of the Prokaryotes. Bergey's Manual of Systematic Bacteriology. (2nd ed.). New York, USA.
35. **Gudmundsdóttir BK (1997).** *Aeromonas salmonicida* subsp. *achromogenes*. A study of extracellular virulence factors and immunity in Atlantic salmon (*Salmo salar* L.). **Acad. Diss., Institute for Experimental Pathology, Faculty of Medicine, University of Iceland.**
- 36.Gudmundsdóttir, B.K. & Björnsdóttir, B. (2007). Vaccination against atypical furunculosis and winter ulcer disease of fish. **Vaccine 25, pp. 5512-5523.**
- 37.Guz , L., and Kozinska, A. 2004. antibiotic susceptibility of *Aeromonas hydrophila* and *A. sobria* isolated from farmed carp (*Cyprinus carpio* L.) **Bul. Vet. Ins. Pulawy., 48: 391-395.**
- 38.Harikrishnan R, Balasundaram C, Heo MS (2009) Effect of chemotherapy, vaccines and immunostimulants on innate immunity of goldfish infected with *Aeromonas hydrophila*. **Dis Aquat Org 88:45–54.**
- 39.Harikrishnan R, Nisha Rani M, Balasundaram C (2003) Hematological and biochemical parameters in common carp, *Cyprinus*

Referances

- carpio, following herbal treatment for *Aeromonas hydrophila* infection. **Aquaculture** 221:41–50.
40. **Hirvelä-Koski, V. 2005.** *Fish Pathogens Aeromonas salmonicida and renibacterium salmoninarum. Diagnostic and epidemiological aspects. Academic dissertation.*
41. **Huys, G., Ka"mpfer, P., Altwegg, M., Kersters, I., Lamb, A., Coopman, R., Luthy-Hottenstein, J., Vancanneyt, M., Janssen, P. and Kersters, K. (1997)** *Aeromonas popoffii* sp. nov., amesophilic bacterium isolated from drinking water production plants and reservoirs. **International Journal of Systematic Bacteriology** 47, 1165–1171.
42. **Huys, G., Kersters, I., Vancanneyt, M., Coopman, R., Janssen, P. and Kersters, K. (1995)** Diversity of *Aeromonas* sp. in Flemish drinking water production plants as determined by gas-liquid chromatographic analysis of cellular fatty acid methyl esters (FAMES). **Journal of Applied Bacteriology** 78, 445–455.
43. **Irianto A, Robertson PA, Austin B (2003)** Oral administration of formalin-inactivated cells of *Aeromonas hydrophila* A3-51 controls infection by atypical *A. salmonicida* in goldfish, *Carassius auratus* (L.). **J Fish Dis** 26: 117–120.
44. **James, H.T.& P.C. Alan, (1991)** :Ecology & Classification Of North American Water Invertebrates, 911pp.
45. **Janda, J. M. and. Abbott, S. L. 1996.** Human Pathogens. In: The genus *Aeromonas*. B. Austin, M. Altwegg, P.J. Gosling, S. Joseph (eds.). **John Wiley & Sons, Chichester, England.** 151-173.
46. **Janssen, P., Coopman, R., Huys, G., Swings, J., Bleeker, M., Vos, P., Zabeau, M. and Kersters, K. (1996)** Evaluation of the DNA

Referances

- fingerprinting method AFLP as a new tool in bacterial taxonomy. **Microbiology** 142, 1881–1893.
47. **Jeney Z, Rácz T, Thompson KD, Poobalane S, Ardó L, Adams A, Jeney G (2009)** Differences in the antibody response and survival of genetically different varieties of common carp (*Cyprinus carpio* L.) vaccinated with a commercial *Aeromonas salmonicida*/A. hydrophila vaccine and challenged with A. hydrophila. **Fish Physiol Biochem** 35: 677–682.
48. **Jeney Z, Rácz T, Thompson KD, Poobalane S, Ardó L, Adams A, Jeney G (2009)** Differences in the antibody response and survival of genetically different varieties of common carp (*Cyprinus carpio* L.) vaccinated with a commercial *Aeromonas salmonicida*/A. hydrophila vaccine and challenged with A. hydrophila. **Fish Physiol Biochem** 35: 677–682.
49. **Karunasagar, I., G.M. Rosalind, I. Karunasagar and K. Gopal Rao 1989.** *Aeromonas hydrophila* septicaemia of Indian major carps in some commercial fish farms of West Godavari Dist. Andhra Pradesh. **Curr. Sci**, 58: 1044-1045.
50. **Khardori N, Fainstein V (1988).** *Aeromonas* and *Plesiomonas* as etiological agents. **Ann. Rev. Microbiol.**, 42: 395-419.
51. **Kirkan Ş., Göksoy E.Ö., Kaya O. 2003.** Isolation and antimicrobial susceptibility of *Aeromonas salmonicida* in rainbow trout (*Oncorhynchus mykiss*) in Turkey hatchery farms. **J Vet Med**, 50, 339-342.
52. **Ko, W.C., Lee, H.C., Chuang, Y.C., Liu, C.C. and Wu, J.J. (2000)** Clinical features and therapeutic implications of 104 episodes of monomicrobial *Aeromonas* bacteraemia. **Journal of Infection** 40, 267– 273.

Referances

53. Kozińska, A., Figueras, M.J., Chacon, M.R., Soler, L. 2002. Phenotypic characteristics and pathogenicity of *Aeromonas* genomospecies isolated from common carp (*Cyprinus carpio* L). **J Appl Microbiol.** 93: 1034-1041.
54. Lază, M., Vulpe, V., Gostin, I., Guguianu, E., Pașca, S., Lazăr, R., 2012. Epidemiologic, etiologic and lesional aspects of aeromonosis of cyprinids from the hydrographic basin of the Prut River, **Romania. African Journal of Microbiology Research** 6, 1723-1729.
55. Lee C., J.-C. Cho, S.-H. Lee, D.-G. Lee and S.-J. Kim 2002a : Distribution of *Aeromonas* spp. as identified by 16S rDNA restriction fragment length polymorphism analysis in a trout farm. **Journal of Applied Microbiology**, 93, 976–985.
56. Lee, M.A., Siddle, S.L. and Hunter, R.P. 2002 b. ResonSense®: Simple linear probes for quantitative homogeneous rapid polymerase chain reaction. **Anal. Chimic. Acta.** 457: 61-70.
57. Lillehaug A, Lunder T, Poppe TT (1992). Field testing of adjuvanted furunculosis vaccines in Atlantic salmon, *Salmo salar* L. **J.Fish Dis.** 15:485-496.
58. Lund, V., Arne Arnesen, J., Coucheron, D., Modalsli, K. & Syvertsen, C. (2003). The *Aeromonas salmonicida* A-layer protein is an important protective antigen in oil-adjuvanted vaccines. **Fish Shellfish Immunol** 15, 367–372.
59. Martí'nez-Murcia, A.J., Benlloch, S. and Collins, M.D. (1992) Phylogenetic interrelationships of members of the genera *Aeromonas* and *Plesiomonas* as determined by 16S ribosomal DNA sequencing: lack of congruence with results of DNA-DNA hybridizations. **International Journal of Systematic Bacteriology** 42, 142–421.

Referances

60. **Martínez-Murcia, A.J., Esteve, C., Garay, E. and Collins, M.D.** (1993) *Aeromonas allosaccharophila* sp. nov., a new mesophilic member of the genus *Aeromonas*. **FEMS Microbiology Letters** **91**, 199–206.
61. **Mastan SA and Qureshi TA.** 2001. Role of bacteria in the epizootic ulcerative syndrome (EUS) of fishes. *J Environ Biol.* 2001 Jul; 22 (3) :187-92
62. **McCarthy, D. H. (1977).** “Some ecological aspects of the bacterial fish pathogen - *Aeromonas salmonicida*,” in *Aquatic Microbiology. Soc. Appl. Bacteriol. Symp. Ser. 6*, eds. F. A. Skinner and J. M. Shewan (London, UK: **Academic Press**), 299–324.
63. **Menanteau-Ledouble S., Kumar G., Saleh M., El-Matbouli M.** (2016). *Aeromonas salmonicida*: updates on an old acquaintance. *Dis. Aquat. Organ.* 120 49–68.
64. **Midtlyng PJ, Bleie H, Helgason S, Jansson E, Larsen JL, Olesen NJ, Olsen AB, Vennerström P (2000)** Nordic manual for the surveillance and diagnosis of infectious diseases in farmed salmonids. **Nord 7. Nordic Council of Ministers, Copenhagen.**
65. **Midtlyng, P. J. (1997).** “Vaccination Against Furunculosis,” in *Furunculosis: Multidisciplinary fish disease research*, ed. E. Bernoth (London UK: **Academic Press**), 382–405
66. **Minnaganti V. R., Patel P. J., Iancu D., Schoch P. E., Cunha B. A.** (2000). Necrotizing fasciitis caused by *Aeromonas hydrophila*. *Heart Lung* 29, 306–308 10.1067/mhl.2000.106723 [PubMed] [Cross Ref].
67. **Mohamad , S. and Abasali, H. (2010):** Effect of plant Extracts Supplemented Diets on Immunity and Resistance to *Aeromonas*

Referances

- hydrophila in Common Carp (*Cyprinus carpio*). **Research Journal of Animal Sciences** 4 (1): 26-34, 2010.
68. **Monfort, P. and Baleux, B. (1990)** Dynamics of *Aeromonas hydrophila*, *Aeromonas sobria*, and *Aeromonas caviae* in a sewage treatment pond. **Applied and Environmental Microbiology** 56, 1999– 2006
69. **Nielsen, M.E., Høi, L., Schmidt, A.S., Qian, D., Shimada, T., Shen, J.Y., Larsen, J.L., 2001.** Is *Aeromonas hydrophila* the dominant motile *Aeromonas* species that causes disease outbreaks in aquaculture production in the Zhejiang Province of China? **Dis. Aquat. Organ.** 46, 23–29.
70. **Noga, E.J. (2010).** Fish Diseases (2nd edition) Willey-Blackwell, ISBN 978-0-8138-0697-6, Singapore.
71. **Nordmo, R., Varma, K.J., Sutherland, I.H. and Brokken, E.S. (1994)** Florfenicol in Atlantic salmon, *Salmo salar* L.: Field evaluation of efficacy against furunculosis in Norway. **Journal of Fish Diseases** 17, 239-244.
72. **O'hlic, B., Olivier, G. and Power, R.(2000).** Genetic diversity of the fish Pathogen *Aeromonas salmonicida* demonstrated by random amplified polymorphic DNA and Pulsed-field gel electrophoresis. **Diseases of Aquatic Organisms**, 39, 109-119.
73. **Ortega, C., Muzquiz, J.L., Fernandez, A., Ruiz, I., De Blas, I., Simon, M.C. and Alonso, J.L. (1996)** Water quality parameters associated with *Aeromonas* spp-affected hatcheries. **Veterinary Research** 27, 553–560.
74. **Osorio, C.R., Collins, M.D., Toranzo, A.E., Barja, J.L., Romalde, J.L., (1999).** 16S rRNA gene sequence analysis of photobacterium damsela and nested PCR method for rapid detection of the causative

Referances

- agent of fish pasteurellosis. **Appl. Environ. Microbiol.** 65, 2942–2946.
75. Pathiratne, A., Widanapathirana, G.S., Chandrakanthi, W.H.S., 1994. Association of *Aeromonas hydrophila* with Epizootic Ulcerative Syndrome (EUS) of freshwater fish in Sri Lanka. **J. Appl. Ichthyol.** 10, 204–208.
76. Pedersen K. Dalsgaard I, Larsen JL (1996). Characterization of atypical *Aeromonas salmonicida* isolates by ribotyping and plasmid profiling. **J Appl Bacteriol** 80:37-44
77. Peng, X.X., Gao, H., Wang, S.Y., (2000a). Universal primer PCR with SSCP and RFLP for identification of fish disease pathogens. **J. Fish. Chi.** 24, 345– 348.
78. Peng, X.X., Zhou, Y., Wang, S.Y., Zhang, Y.L., (2000b). Quick identification for pathogenic vibrio of aquacultivated creatures by UPPCR–SSCP. **J. Oceanogr. Taiwan Strait** 19, 460–463.
79. Pettibone, G.W. (1998) Population dynamics of *Aeromonas* spp. In an urban river watershed. **Journal of Applied Microbiology** 85,723–730.
80. Pickering , A. D.(1997): Husbandry and stress. IN: Bernoth, E.-M., Ellis, A. E. ., Midtlyng., P. J., Olivier, G. and Smith, P.(eds) **Furunculosis: Multidisciplinary fish Disease Research. Academic Press, London, PP. 178-202.**
81. Popoff, M. & Véron, M. (1976). A Taxonomic Study of the *Aeromonas hydrophila* *Aeromonas punctata* Group. **Journal of General Microbiology** 94, 11-22.
82. Quinn, P.J.; Crter, M.E.; Markey, B.(1999) : Clinical veterinary microbiology. St Louis, United States

Referances

- 83.Rahman, M. M., Somsiri, T., Ezura, Y., and Tajima, K. 2004.** Distribution of *Aeromonas* spp.emphasizing on a newly identified species *Aeromonas* sp. T8 isolated from EUS-affected fish and aquatic animals in Southeast Asia. **J. Biol. Sci., 7 (2): 258-268.**
- 84.Rahman, M. M., Somsiri, T., Tanaka R., Sawabe t., and Tajima, K. 2005.** PCR-RFLP Analysis for Identification of *Aeromonas* Isolates Collected from Diseased Fish and Aquatic Animals. *Fish Pathology*,40(4),151-159, 2005-12.
- 85.Richardson C. J. Robinson, J. O. Wagner L. B. Burke, V. 1982.** Invitro susceptibility of *Aeromonase* species to antimicrobial Agents. **J Antimicrob Chemother, 9:267-274.**
- 86.Samuelsen, O.B., Hjeltne, B. and Glette, J. (1998)** Efficacy of orally administered florfenicol in the treatment of furunculosis in Atlantic salmon. **Journal of Aquatic Animal Health 10, 56-61.**
- 87.Schmidt AS, Bruun MS, Dalsgaard I, Larsen JL (2001).** Incidence, distribution and spread of tetracycline resistance determinants and integron encoded antibiotic resistance genes among motile aeromonads from a fish farming environment. **Appl. Environ. Microbiol., 67: 5675-5682.**
- 88. Schubert RHW (1967a)** The taxonomy and nomenclature of the genus *Aeromonas* Kluyver and van Niel. Part I. Suggestions on the taxo nomy and nomenclature of the aerogenic *Aeromonas* species. **Int.J.Syst.Bacteriol. 17:23- 37.**
- 89. Schubert RHW (1967b)** The taxonomy and nomenclature of the genus *Aeromonas* Klyuver and van Niel 1936. Part II. Suggestions on the taxonomy and nomenclature of the aerogenic aeromonads. **Int.J.Syst.Bacteriol. 17:273-279.**

Referances

- 90.Schultz, D. 1980.** Erythrodermatitis of carp: studies of the mode of infection. Pages 137-144 in W. Ahne, ed. Fish diseases. Third COPRAQ-Session. **Springer-verlag, Berlin, Heidelberg, New York.**
- 91.Sioutas S., R. W. Hoffmann, C. Pfeil-Putzien, Th. Fischer-Scher. (1991):** Carp Erythrodermatitis (CE) due to an *Aeromonas hydrophila* Infection **Journal of Veterinary Medicine, Series B Volume 38, Issue 1-10, pages 186–194.**
- 92. Sørum H, Holstad G, Lunder T, Håstein T (2000)** Grouping by plasmid profiles of atypical *Aeromonas salmonicida* isolated from fish, with special reference to salmonid fish. **Dis Aquat Org 41:159–171**
- 93.SPSS Statistical 17.0 (2008):** Statistical Package for Social Sciences-Version 17.0. Computer software 17.0, SPSS Inc., **Head-quarters. Wacker Drive, Chicago, Illinois 60606, USA.**
- 94.Swain P.S., Rao S.B.N., Rajendran D., Dominic G., Selvaraju S. (2016).** Nano zinc, an alternative to conventional zinc as animal feed supplement: A review. **Animal Nutrition, 2(3): 134-141.**
- 95. Swann L., White M. (1991).** *Diagnosis and Treatment of “Aeromonas hydrophila” Infection of Fish.* Urbana, **IL: Illinois-Indiana Sea Grant Program**
- 96.Swann L., White M.R. 1989:** Diagnosis and treatment of *Aeromonas hydrophila* infection of fish. **Aquaculture extension-Illinois-Indiana Sea Grant Program,pp.91-92.**
- 97. Tellez-Bañuelos MC, Santerre A, Casas-Solis J, Zaitseva G (2010)** Endosulfan increases seric interleukin-2-like (IL2L) factor and immunoglobulin M (IgM) of Nile tilapia (*Oreochromis niloticus*)

Referances

- challenged with *Aeromona hydrophila*. *Fish Shellfish Immunol* **28**:401–405.
98. Tsukamoto K, Oyaizu H, Nanba K, Simidu U (1993). Phylogenetic relationships of marine bacteria, mainly members of the family Vibrionaceae, determined on the basis of 16S rRNA sequences. *Inter. J. Syst. Bacteriol.*, **43**: 8-19.
99. Ullal AJ, Litaker RW, Noga EJ (2008) Antimicrobial peptides derived from hemoglobin are expressed in epithelium of channel catfish (*Ictalurus punctatus*, Rafinesque). *Dev Comp Immunol* **32**:1301–1312.
100. Vincent, A. T., Trudel, M. V., Paquet, V. E., Boyle, B., Tanaka, K. H., Dallaire-Dufresne, S. 2014. Detection of variants of the pRAS3, pAB5S9, and pSN254 plasmids in *Aeromonas salmonicida* subsp. *salmonicida*: multidrug-resistance, interspecies exchanges, and plasmid reshaping. *Antimicrob Agents Chemotherapy*. **58**, 7367–7374.
101. Wang K., Wang W.X. (2015). Optimal dietary requirements of zinc in marine medaka *Oryzias melastigma* : **Importance of daily net flux**. *Aquaculture*, **448**: 54-62
102. Wang, R.F., Cao, W.W. and Cerniglia, C.E. (1997) A universal protocol for PCR detection of 13 species of foodborne pathogens in foods. *Journal of Applied Microbiology* **83**, 727–736.
103. Wiklund, T. & Dalsgaard, I. (1998). Occurrence and significance of atypical *Aeromonas salmonicida* in non-salmonid and salmonid fish hosts. *Diseases of Aquatic Organisms* **32**, pp. 49-69.
104. Xia, C., Ma, Z., Rahman, H., Wu, Z., 2004. PCR cloning and identification of the b hemolysin gene of *Aeromonas hydrophila* from freshwater fishes in China. *Aquaculture* **229**, 45–53.

Referances

105. Yamada Y, Kaku Y, Wakabayashi H (2000) Phylogenetic intrarelationships of atypical *Aeromonas salmonicida* isolated in Japan as determined by 16S rDNA sequencing. **Fish Pathol.** 35:35-40
106. Yambot, A.V., 1998. Isolation of *Aeromonas hydrophila* from *Oreochromis niloticus* during fish disease outbreaks in the Philippines. **Asian Fish.Sci.** 10, 347–354.
107. Yi, S.-W., You, M.-J., Lee, H.-B., Shin, G.-W., 2012. A case of *Aeromonas veronii* infection in Israeli carp (*Cyprinus carpio*): phylogenetic analysis and antimicrobial resistance. **Korean Journal of Veterinary Service** 35, 239-243.
108. Yin G, Ardó L, Thompson KD, Adams A, Jeney Z, Jeney G (2009) Chinese herbs (*Astragalus radix* and *Ganoderma lucidum*) enhance immune response of carp, *Cyprinus carpio*, and protection against *Aeromonas hydrophila*. **Fish Shellfish Immunol** 26:140–145
109. Yu, J., Koo, B., Kim, D., Kim, D., Park, S., 2015. *Aeromonas sobria* infection in farmed mud loach (*Misgurnus mizolepis*) in Korea, a bacteriological survey. **Iranian journal of veterinary research** 16, 194.
110. Yu, J.-H., Han, J.-J., Kim, H.-J., Kang, S.-G., Park, S.-W., 2010. First report of *Aeromonas veronii* infection in farmed Israeli carp *Cyprinus carpio* in Korea. **Journal of fish pathology** 23, 165-176.